

Description

Mazuri® Waterfowl Starter provides the correct protein level in a high-vitamin diet for newly hatched and adolescent birds. Provides the high nutrient density diet needed to meet rapid growth requirements. This diet can be fed by floating on the water or in a trough.

Features and Benefits

- **High protein, high nutrient density diet** - Promotes health and rapid growth.
- **Special extruded form** - Floats, for a limited amount of time, for a more natural feeding.
- **Nutritionally complete** – requires no mixing or supplementation, and eliminates sorting.
- **Less waste and mess.**
- **Floating Diet** – allows birds to be fed on the water.

Product Form

- Extruded particle: 3/32" diameter x 3/32" length.

Catalog #0001434

25 lb. net weight paper sack.

Guaranteed Analysis

Crude protein not less than	20.0%
Crude fat not less than	3.0%
Crude fiber not more than	6.5%
Ash not more than	7.0%

Ingredients

Ground corn, wheat middlings, dehulled soybean meal, ground wheat, fish meal, soybean oil, calcium carbonate, dicalcium phosphate, monocalcium phosphate, glyceryl monostearate, salt, menadione dimethylpyrimidinol bisulfite (vitamin K), DL-methionine, brewers dried yeast, tocopherols (a preservative), d-alpha tocopheryl acetate (natural source vitamin E), cholecalciferol (vitamin D3), biotin, vitamin A acetate, choline chloride, tagetes extract, calcium pantothenate, nicotinic acid, folic acid, riboflavin, cyanocobalamin (vitamin B12), L-lysine, manganous oxide, zinc oxide, copper sulfate, calcium iodate, sodium selenite.

Feeding Directions

Feed ad libitum as the sole ration to newly hatched and adolescent birds during their period of fastest growth.

Average Feed Weights (note that average feed weights may vary due to method of measuring)

Measurement	g of Diet
1 tbsp	6.08
¼ cup	22.7
½ cup	50.2
1 cup	96.2

Approximate Nutrient Composition

NUTRIENTS

Protein, %	20.0
Arginine, %.....	1.19
Cystine, %.....	0.27
Glycine, %.....	0.98
Histidine, %.....	0.50
Isoleucine, %.....	0.89
Leucine, %.....	1.58
Lysine, %.....	1.07
Methionine, %.....	0.44
Phenylalanine, %.....	0.88
Tyrosine, %.....	0.56
Threonine, %.....	0.72
Tryptophan, %.....	0.25
Valine, %.....	0.97
Fat, %	5.8
Linoleic Acid, %.....	2.3
Fiber (Crude), %	3.7
Neutral Detergent Fiber, %.....	15.4
Acid Detergent Fiber, %.....	4.5
Metabolizable Energy* , kcal/kg.....	2,850

MINERALS

Ash, %	6.3
Calcium, %.....	1.20
Phosphorus, %.....	0.86
Phosphorus (non-phytate), %.....	0.55
Potassium, %.....	0.80
Magnesium, %.....	0.21
Sodium, %.....	0.15
Chlorine, %.....	0.25
Sulfur, %.....	0.26
Iron, ppm.....	280
Zinc, ppm.....	120
Manganese, ppm.....	140
Copper, ppm.....	13
Iodine, ppm.....	1.8
Selenium, ppm.....	0.59
Cobalt, ppm.....	0.20

VITAMINS

Thiamin, ppm.....	6.1
Riboflavin, ppm.....	4.0
Niacin, ppm.....	70
Pantothenic Acid, ppm.....	19
Choline, ppm.....	1,300
Folic Acid, ppm.....	1.8
Pyridoxine, ppm.....	4.5
Biotin, ppm.....	0.30
Vitamin B ₁₂ , mcg/kg.....	15
Vitamin A, IU/kg.....	8,800
Vitamin D ₃ (added), IU/kg.....	2,200
Vitamin E, IU/kg.....	149
Vitamin K (as menadione), ppm.....	2.7
Carotene, ppm.....	0.40

* Calculated using data from domesticated poultry.

Quality Controlled by PMI Nutrition International, a subsidiary of America's oldest and largest animal nutrition company.

Nutrient composition is based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.