

Description

Mazuri® Waterfowl Maintenance has been formulated to meet the nutritional needs of the vast majority of non-specialist feeding ornamental waterfowl. Gives birds a high-quality, vitamin-enriched diet to keep them in good health.

Features and Benefits

- **Contains cereal grain** - Ensures birds receive the energy needed.
- **Proper protein level** - Maintains health and vigor.
- **Balanced nutrition/energy ratio** - Ensures condition is maintained
- **Nutritionally complete** – Requires no mixing or supplementation.
- **Less waste and mess.**
- **Floating Diet** – Allows birds to be fed on the water.

Product Form

- Extruded pellet: 5/16" diameter x 3/16" length.

Catalog #0001435

50 lb. net weight paper sack.

Guaranteed Analysis

Crude protein not less than ..... 14.0%  
 Crude fat not less than ..... 3.0%  
 Crude fiber not more than ..... 5.0%  
 Calcium (Ca) not less than ..... 0.80%  
 Calcium (Ca) not more than ..... 1.30%  
 Phosphorus (P) not less than ..... 0.60%  
 Ash not more than ..... 6.0%

Ingredients

Ground corn, wheat middlings, ground oats, dehulled soybean meal, fish meal, calcium carbonate, dicalcium phosphate, monocalcium phosphate, soybean oil, salt, dehydrated alfalfa meal, ground wheat, ground soybean hulls, brewers dried yeast, cane molasses, dried beet pulp, wheat germ, cholecalciferol (vitamin D<sub>3</sub>), corn gluten meal, menadione sodium bisulfite complex (vitamin K), d-alpha tocopheryl acetate (vitamin E), vitamin A acetate, choline chloride, biotin, tagetes extract, calcium pantothenate, porcine animal fat preserved with BHA, nicotinic acid, folic acid, riboflavin, DL-methionine, L-lysine, vitamin B<sub>12</sub> supplement, natural mixed tocopherols (a preservative), citric acid, ascorbic acid (source of vitamin C), rosemary extract, lecithin, manganous oxide, zinc oxide, copper sulfate, calcium iodate, sodium selenite.

Feeding Directions

Feed ad libitum to non-breeding mature, fully feathered birds.

Birds should eat about 25 to 30 grams/kg body weight each day.

**Average Feed Weights**(note that average feed weights may vary due to method of measuring)

Measurement	g of Diet
1 tbsp .....	6.05
¼ cup .....	22.7
½ cup .....	49.9
1 cup .....	95.4

**Approximate Nutrient Composition**

**NUTRIENTS**

<b>Protein, %</b> .....	<b>14.0</b>
Arginine, %.....	0.77
Cystine, %.....	0.21
Glycine, %.....	0.63
Histidine, %.....	0.36
Isoleucine, %.....	0.58
Leucine, %.....	1.18
Lysine, %.....	0.61
Methionine, %.....	0.27
Phenylalanine, %.....	0.63
Tyrosine, %.....	0.39
Threonine, %.....	0.48
Tryptophan, %.....	0.16
Valine, %.....	0.67
<b>Fat, %</b> .....	<b>3.8</b>
Linoleic Acid, %.....	1.9
<b>Fiber (Crude), %</b> .....	<b>4.8</b>
Neutral Detergent Fiber, %.....	18.8
Acid Detergent Fiber, %.....	5.8
Starch, %.....	15.7
<b>Metabolizable Energy*</b> , kcal/kg.....	<b>2,750</b>

**MINERALS**

<b>Ash, %</b> .....	<b>5.6</b>
Calcium, %.....	1.10
Phosphorus, %.....	0.62
Phosphorus (non-phytate), %.....	0.31
Potassium, %.....	0.59
Magnesium, %.....	0.21
Sodium, %.....	0.18
Chlorine, %.....	0.26
Sulfur, %.....	0.19
Iron, ppm.....	180
Zinc, ppm.....	92
Manganese, ppm.....	108
Copper, ppm.....	9.0
Iodine, ppm.....	1.3
Selenium, ppm.....	0.54
Cobalt, ppm.....	0.14

**VITAMINS**

Thiamin, ppm.....	7.0
Riboflavin, ppm.....	2.8
Niacin, ppm.....	63
Pantothenic Acid, ppm.....	17
Choline, ppm.....	1,000
Folic Acid, ppm.....	1.3
Pyridoxine, ppm.....	4.6
Biotin, ppm.....	0.30
Vitamin B <sub>12</sub> , mcg/kg.....	10
Vitamin A, IU/kg.....	7,480
Vitamin D <sub>3</sub> (added), IU/kg.....	2,200
Vitamin E, IU/kg.....	90
Vitamin K (as menadione), ppm.....	2.6
Carotene, ppm.....	0.50

\* Calculated using data from domesticated poultry.

Quality Controlled by PMI Nutrition International, a subsidiary of America's oldest and largest animal nutrition company.

Nutrient composition is based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.