

Description

A diet designed for feeding rats and mice which are maintained in breeding colonies and intended for use as food for other species (such as reptiles). High producing mice may benefit from using Mazuri Mouse Breeder 9F (5M68).

Features

- **Contains yucca shidigera** - shown to reduce aerosol ammonia in animal facilities.
- **Designed for maximum production.**

Product Form

Catalog #0001477

- Oval Pellet: 3/8" x 5/8 x 1" long.

Guaranteed Analysis

Crude protein not less than 16.0%
 Crude fat not less than 6.0%
 Crude fiber not more than 6.0%

Ingredients

Ground corn, dehulled soybean meal, ground oats, porcine animal fat preserved with BHA, cane molasses, wheat middlings, dehydrated alfalfa meal, ground wheat, ground soybean hulls, calcium carbonate, fish meal, salt, brewers dried yeast, dicalcium phosphate, monocalcium phosphate, dried beet pulp, wheat germ, corn gluten meal, soybean oil, menadione dimethylpyrimidinol bisulfite (vitamin K), pyridoxine hydrochloride, DL-methionine, choline chloride, dried yucca shidigera extract, cholecalciferol (vitamin D₃), thiamin mononitrate, folic acid, biotin, dl-alpha tocopheryl acetate (vitamin E), calcium pantothenate, vitamin B₁₂ supplement, riboflavin, nicotinic acid, vitamin A acetate, manganous oxide, zinc oxide, ferrous carbonate, copper sulfate, zinc sulfate, calcium iodate, cobalt carbonate.

Feeding Directions

Provide feeders large enough to hold two to three days supply of Mazuri® Rodent Breeder 6F at any time. Arrange feeders so that animals cannot contaminate feed with feces. Keep plenty of clean, fresh water available to the animals at all times.

Approximate Nutrient Composition**NUTRIENTS**

Protein, %	17.8
Arginine, %.....	1.11
Cystine, %.....	0.29
Glycine, %.....	0.85
Histidine, %.....	0.48
Isoleucine, %.....	0.75
Leucine, %.....	1.57
Lysine, %.....	0.96
Methionine, %.....	0.45
Phenylalanine, %.....	0.87
Tyrosine, %.....	0.56
Threonine, %.....	0.73
Tryptophan, %.....	0.20
Valine, %.....	0.98
Taurine, %.....	0.01
Fat, %	6.5
Linoleic Acid, %.....	1.80
Linolenic Acid, %.....	0.14
Arachidonic Acid, %.....	0.01
Omega-3 fatty acids, %.....	0.24
Saturated fatty acids, %.....	2.11
MUFA, %.....	2.29
PUFA, %.....	1.26
Fiber (Crude), %	5.4
Neutral Detergent Fiber, %.....	13.5
Acid Detergent Fiber, %.....	4.9
Starch, %.....	30.0
Glucose, %.....	0.25
Fructose, %.....	0.29
Sucrose, %.....	2.28
Lactose, %.....	0.0
Metabolizable Energy*, kcal/kg.....	3,110
TDN.....	80.0

MINERALS

Ash, %	5.9
Calcium, %.....	0.97
Phosphorus, %.....	0.65
Phosphorus (non-phytate), %.....	0.31
Potassium, %.....	0.88
Magnesium, %.....	0.18
Sodium, %.....	0.30
Chlorine, %.....	0.54
Sulfur, %.....	0.25
Iron, ppm.....	286
Zinc, ppm.....	165
Manganese, ppm.....	153
Copper, ppm.....	22
Iodine, ppm.....	2.4
Selenium, ppm.....	0.07
Cobalt, ppm.....	1.00
Fluoride, ppm.....	19.5
Chromium, ppm.....	2.76

VITAMINS

Thiamin, ppm.....	20
Riboflavin, ppm.....	9.4
Niacin, ppm.....	109
Pantothenic Acid, ppm.....	24
Choline, ppm.....	1,900
Folic Acid, ppm.....	5.0
Pyridoxine, ppm.....	15
Biotin, ppm.....	0.28
Vitamin B ₁₂ , mcg/kg.....	52
Vitamin A, IU/kg.....	11,550
Vitamin D ₃ (added), IU/kg.....	2,800
Vitamin E, IU/kg.....	55
Vitamin K (menadione), ppm.....	3.3
Carotene, ppm.....	0.20

* Determined using Atwater factors – 4 kcal/g protein, 9 kcal/g fat, 4 kcal/g carbohydrate.

Quality Controlled by PMI Nutrition International, a subsidiary of America's oldest and largest animal nutrition company.

Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.