

Description

Mazuri® Emu Maintenance 5M69 is specifically formulated for emus during the non-breeding season and for yearlings selected as future breeders or replacement breeders.

Features and Benefits

- **High fiber and low moderate energy diet** - Helps prevent obesity.
- **Balanced protein diet** - Helps to minimize amino acid imbalances and maximize protein use.
- **No supplements are necessary**
- **Natural preservative-** mixed tocopherols

Product Form

- 5/32" pellet

Catalog #0025699
50 lb. net weight paper sack

Guaranteed Analysis

Crude protein not less than	17.0%
Crude fat not less than	2.0%
Crude fiber not more than	11.0%
Calcium (Ca) not less than	0.90%
Calcium (Ca) not more than	1.40%
Phosphorus (P) not less than	0.65%
Salt (NaCl) not less than	0.40%
Salt (NaCl) not more than	0.90%

Ingredients

GROUND CORN, WHEAT MIDLINGS, DEHYDRATED ALFALFA MEAL, DEHULLED SOYBEAN MEAL, GROUND SOYBEAN HULLS, DICALCIUM PHOSPHATE, MONOCALCIUM PHOSPHATE, CANE MOLASSES, CALCIUM CARBONATE, FISH MEAL, SALT, LIGNIN SULFONATE, DL-METHIONINE, CHOLINE CHLORIDE, CHOLECALCIFEROL, PYRIDOXINE HYDROCHLORIDE, DL-ALPHA TOCOPHERYL ACETATE, BIOTIN, TOCOPHEROLS, VITAMIN A ACETATE, MENADIONE SODIUM BISULFITE COMPLEX, FOLIC ACID, CALCIUM PANTOTHENATE, MANGANOUS OXIDE, NICOTINIC ACID, VITAMIN B-12 SUPPLEMENT, COPPER SULFATE, RIBOFLAVIN, THIAMINE MONONITRATE, ZINC OXIDE, FERROUS CARBONATE, ZINC SULFATE, CALCIUM IODATE, MANGANESE PROTEINATE, ZINC PROTEINATE, COBALT CARBONATE, COPPER PROTEINATE, SODIUM SELENITE.

Feeding Directions

Feed free choice to emu that have been selected to breed, from 6-8 months of age (70 to 90 lbs body weight) until 2 weeks prior to the start of breeding season. Then transition birds to 5M31 Ratite Breeder Diet. At the end of the breeding season, a large increase in feed consumption will occur. At this time, transition animals back to 5M69 Emu Maintenance. Always transition to new diets slowly (gradual transition over a 10 day period).

Average Feed Weights (note that average feed weights may vary due to method of measuring)

Measurement	g of Diet
¼ cup.....	42
½ cup	83
1 cup.....	169

Approximate Nutrient Composition

NUTRIENTS

Protein, %	17.3
Arginine, %.....	0.97
Cystine, %.....	0.24
Glycine, %.....	0.79
Histidine, %.....	0.44
Isoleucine, %.....	0.84
Leucine, %.....	1.35
Lysine, %.....	0.84
Methionine, %.....	0.36
Phenylalanine, %.....	0.80
Tyrosine, %.....	0.52
Threonine, %.....	0.62
Tryptophan, %.....	0.22
Valine, %.....	0.87
Fat, %	2.5
Omega-3 Fatty Acids, %.....	0.17
Omega-6 Fatty Acids, %.....	1.17
Fiber (Crude), %	10.4
Neutral Detergent Fiber, %.....	25.1
Acid Detergent Fiber, %.....	13.1
Metabolizable Energy* , kcal/kg.....	2,200

MINERALS

Ash, %	7.3
Calcium, %.....	1.35
Phosphorus, %.....	0.88
Phosphorus (non-phytate), %.....	0.60
Potassium, %.....	1.27
Magnesium, %.....	0.25
Sodium, %.....	0.17
Chlorine, %.....	0.39
Iron, ppm.....	390
Zinc, ppm.....	150
Manganese, ppm.....	180
Copper, ppm.....	37
Cobalt, ppm.....	0.90
Iodine, ppm.....	1.3
Chromium, ppm.....	2.3
Selenium, ppm.....	0.57

VITAMINS

Thiamin, ppm.....	9.3
Riboflavin, ppm.....	11
Niacin, ppm.....	90
Pantothenic Acid, ppm.....	24
Choline, ppm.....	1,800
Folic Acid, ppm.....	3.3
Pyridoxine, ppm.....	8.0
Biotin, ppm.....	0.46
Vitamin B ₁₂ , mcg/kg.....	44
Vitamin A, IU/kg.....	13,200
Vitamin D ₃ (added), IU/kg.....	3,000
Vitamin E, IU/kg.....	150
Vitamin K (as menadione), ppm.....	4.3

* Calculated using data from domesticated poultry.

Quality Controlled by PMI Nutrition International, a subsidiary of America's oldest and largest animal nutrition company.

Nutrient composition is based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.